



### Stainless Steel Excess Stock

| Location | Grade | Shape | Dimension 1 | Dimension 2 | Dimension 3 | Dimension 4    | Quantity |
|----------|-------|-------|-------------|-------------|-------------|----------------|----------|
| 3C       | A286  | Round | 0.5         | 6.5         |             |                | 12       |
| 12E      | 13-8  | Round | 0.5         | 72          |             |                | 1        |
| 2C       | 17-4  | Plate | 0.75        | 6           | 8           |                | 1        |
| 11A      | 17-4  | Round | 0.5         | 72          |             | H1150 w/cert   | 1        |
| 2C       | 17-4  | Round | 10          | 1           |             |                | 1        |
| 6        | 301   | Sheet | 0.04        | 12          | 36          |                | 1        |
| 3C       | 301   | Sheet | 0.125       | 0.75        | 36          | Half Hard      | 6        |
| 11C      | 303   | Hex   | 6mm         | 60          |             |                | 2        |
| 2B       | 303   | Plate | 3.5         | 3.625       | 4           |                | 1        |
| 3C       | 303   | Round | .0785/.0787 | 36          |             | Center-Ground  | 1        |
| 11A      | 303   | Round | 5mm         | 72          |             |                | 3        |
| 3C       | 303   | Round | 13mm        | 25          |             |                | 1        |
| 11A      | 303   | Tube  | 0.188       | 0.01        | 60"         |                | 8        |
| 11F      | 304   | Flat  | 0.188       | 1           | 60          |                | 16       |
| 11F      | 304   | Flat  | 0.25        | 1.75        | 54.75       |                | 13       |
| 11H      | 304   | Flat  | 0.25        | 4           | 49          |                | 7        |
| M        | 304   | Flat  | 0.75        | 6           | 144         |                | 2        |
| M        | 304   | Flat  | 0.75        | 6           | 12          |                | 1        |
| M        | 304   | Pipe  | 0.375       | Schd. 40    | 240         |                | 21       |
| 15G      | 304   | Pipe  | 10          | Schd. 40    | 42          |                | 1        |
| 3C       | 304   | Plate | 0.25        | 3.25        | 4.375       |                | 9        |
| 3C       | 304   | Plate | 0.25        | 9.375       | 9.375       |                | 1        |
| 3C       | 304   | Plate | 0.625       | 6.125       | 15          |                | 6        |
| 11B      | 304   | Round | 0.034       | 72          |             | Wire           | 50       |
| 11C      | 304   | Round | 0.156       | 72          |             |                | 1        |
| 11C      | 304   | Round | 0.4997      | 44.5        |             | Prec. Ground   | 1        |
| 12E      | 304   | Round | 40mm        | 36          |             |                | 1        |
| 11C      | 304   | Round | 5mm         | 72          |             |                | 2        |
| 12E      | 304   | Round | 9mm         | 35          |             |                | 1        |
| 6        | 304   | Sheet | 0.03        | 5           | 36          | #4             | 2        |
| 6        | 304   | Sheet | 0.03        | 9           | 21          |                | 2        |
| 6        | 304   | Sheet | 0.03        | 9.5         | 48          |                | 1        |
| 6        | 304   | Sheet | 0.03        | 10.125      | 48          |                | 1        |
| 6        | 304   | Sheet | 0.03        | 24          | 24          |                | 1        |
| 6        | 304   | Sheet | 0.048       | 1           | 36          | Width is under | 60       |
| 6        | 304   | Sheet | 0.06        | 2           | 26          |                | 1        |
| 6        | 304   | Sheet | 0.06        | 4.5         | 35.5        |                | 1        |
| 6        | 304   | Sheet | 0.06        | 4           | 10          |                | 1        |



### Stainless Steel Excess Stock

| Location | Grade | Shape | Dimension 1 | Dimension 2 | Dimension 3 | Dimension 4         | Quantity |
|----------|-------|-------|-------------|-------------|-------------|---------------------|----------|
|          |       |       |             |             |             |                     |          |
| 6        | 304   | Sheet | 0.06        | 6           | 13          |                     | 1        |
| 6        | 304   | Sheet | 0.06        | 6           | 120         | #4 Polish           | 2        |
| 6        | 304   | Sheet | 0.06        | 7           | 28.75       | #4 Polish           | 1        |
| 6        | 304   | Sheet | 0.06        | 8.375       | 25          |                     | 1        |
| 6        | 304   | Sheet | 0.06        | 8.75        | 25          |                     | 1        |
|          |       |       |             |             |             |                     |          |
| 6        | 304   | Sheet | 0.06        | 12          | 48          |                     | 7        |
| 6        | 304   | Sheet | 0.06        | 14          | 17.5        | #4 Polish           | 1        |
| 6        | 304   | Sheet | 0.06        | 14          | 19          | #4 Polish           | 1        |
| 3C       | 304   | Sheet | 0.065       | 2.5         | 2.5         |                     | 13       |
|          |       |       |             |             |             |                     |          |
| 11A      | 304   | Tube  | 0.042       | 0.008       | 72          | Hyper Full Hard #3T | 20       |
| 11A      | 304   | Tube  | 0.25        | 0.028       | 60          | SMLS                | 28       |
| 11C      | 304   | Tube  | 0.25        | 0.035       | 46          | SMLS                | 3        |
|          |       |       |             |             |             |                     |          |
| 11B      | 304   | Tube  | 0.313       | 0.035       | 72          |                     | 5        |
| 3C       | 304   | Tube  | 0.375       | 0.035       | 23          |                     | 1        |
| 11C      | 304   | Tube  | 0.375       | 0.035       | 48          | SMLS                | 2        |
| 11C      | 304   | Tube  | 0.375       | 0.065       | 24          |                     | 1        |
| 11C      | 304   | Tube  | 0.375       | 0.065       | 36          |                     | 1        |
| 11C      | 304   | Tube  | 0.375       | 0.065       | 48          |                     | 1        |
| 11B      | 304   | Tube  | 0.438       | 0.02        | 72          | SMLS                | 7        |
| 2C       | 304   | Tube  | 8           | 1           | 1.375       |                     | 1        |
| 2C       | 304   | Tube  | 8           | 1           | 2.5         |                     | 10       |
| 10       | 304   | Tube  | .264/.268   | .011/.012   | 168         | RL, Weld, #2T       | 100      |
| 11F      | 309   | Plate | 0.375       | 1.125       | 60          |                     | 4        |
| 11C      | 310   | Round | 0.25        | 24          |             |                     | 1        |
| 11C      | 310   | Round | 0.25        | 72          |             |                     | 1        |
| 8C       | 316   | Sheet | 0.012       | 12          | 15.5 lbs.   | Annealed            | 1        |
| 11F      | 316   | Plate | 0.25        | 2.75        | 48          |                     | 2        |
| 3C       | 316   | Plate | 0.25        | 5.75        | 6           |                     | 2        |
| 3C       | 316   | Plate | 0.375       | 4.5         | 10          |                     | 1        |
| 3C       | 316   | Plate | 0.5         | 6.75        | 7.75        |                     | 2        |
| 3C       | 316   | Round | 0.188       | 35          |             |                     | 259      |
| 11C      | 316   | Round | 4mm         | 72          |             |                     | 5        |



### Stainless Steel Excess Stock

| Location | Grade | Shape | Dimension 1 | Dimension 2 | Dimension 3 | Dimension 4  | Quantity |
|----------|-------|-------|-------------|-------------|-------------|--------------|----------|
| 11B      | 316   | Tube  | 0.094       | 0.02        | 48          | SMLS         | 1        |
| 11B      | 316   | Tube  | 0.188       | 0.02        | 72          |              | 6        |
| 11A      | 330   | Round | 0.313       | 72          |             |              | 16       |
| 12C      | 330   | Tube  | 0.25        | 0.065       | 72          |              | 12       |
| 3C       | 410   | Flat  | 0.375       | 1           | 7.375       |              | 1        |
| 2B       | 410   | Flat  | 1           | 1.25        | 8           | RL           | 2        |
| 2B       | 410   | Flat  | 1           | 1.25        | 12          | RL           | 2        |
|          |       |       |             |             |             |              |          |
| 6        | 410   | Round | 5.5         | 2.25        |             | Rough Turned | 1        |
| 6        | 410   | Sheet | 0.09        | 6           | 6           |              | 1        |
| 11B      | 416   | Flat  | 0.188       | 1           | 36          | CD           | 1        |
| 11B      | 416   | Flat  | 0.188       | 1           | 72          | CD           | 1        |
| B1       | 416   | Flat  | 0.375       | 1.5         | 18          |              | 1        |
| 3C       | 416   | Flat  | 0.375       | 1.625       | 36.375      |              | 1        |
| 2C       | 416   | Flat  | 3           | 3           | 3.5         |              | 2C       |
| 11A      | 416   | Round | 0.25        | 72          |             |              | 20       |
| 12D      | 416   | Round | 0.625       | 72          |             |              | 1        |
| 12D      | 416   | Round | 0.75        | 72          |             |              | 2        |
| 3C       | 416   | Round | 1           | 36          |             |              | 3        |
| 2C       | 416   | Round | 2           | 2           |             |              | 1        |
| 2C       | 416   | Round | 3           | 2           |             |              | 1        |
| 2C       | 416   | Round | 3           | 3.5         |             |              | 1        |
| 2C       | 416   | Round | 3           | 3.75        |             |              | 1        |
| 3C       | 416   | Round | 4           | 1.75        |             |              | 1        |
| 3C       | 416   | Round | 5.5         | 2.188       |             |              | 1        |
| 3C       | 416   | Round | 8           | 1           |             |              | 1        |
| 3C       | 416   | Round | 9           | 2.5         |             |              | 1        |
|          |       |       |             |             |             |              |          |
| 11C      | 420   | Round | 0.25        | 72          |             |              | 2        |
| 2C       | 420   | Round | 1.75        | 16"         |             |              | 1        |
|          |       |       |             |             |             |              |          |
|          |       |       |             |             |             |              |          |
| 2C       | 420   | Round | 3.5         | 11.5        |             |              | 1        |
| 12D      | 430   | Round | 2           | 57.625      |             |              | 1        |
|          |       |       |             |             |             |              |          |
|          |       |       |             |             |             |              |          |



### Stainless Steel Excess Stock

| Location | Grade      | Shape | Dimension 1 | Dimension 2 | Dimension 3 | Dimension 4       | Quantity |
|----------|------------|-------|-------------|-------------|-------------|-------------------|----------|
| 2C       | 440C       | Flat  | 0.25        | 4           | 6.75        |                   | 1        |
| 2C       | 440C       | Flat  | 0.625       | 1.5         | 16.25       | Cut started 3" up | 1        |
| 2C       | 440C       | Flat  | 0.75        | 0.75        | 8           |                   | 1        |
| 2C       | 440C       | Flat  | 0.75        | 0.75        | 8           |                   | 1        |
| 2C       | 440C       | Flat  | 0.75        | 2.5         | 2.875       |                   | 1        |
| 3C       | 440C       | Flat  | 1           | 1.375       | 29.75       |                   | 1        |
| 2C       | 440C       | Flat  | 1           | 1.625       | 23.5        |                   | 1        |
| 2C       | 440C       | Round | 0.375       | 17.5        |             |                   | 1        |
| 3C       | 440C       | Round | 0.75        | 15.5        |             |                   | 1        |
| 3C       | 440C       | Round | 0.75        | 36          |             |                   | 1        |
| 3C       | 440C       | Round | 0.75        | 43.375      |             |                   | 1        |
| 3C       | 440C       | Round | 1           | 9.75        |             |                   | 1        |
| 3C       | 440C       | Round | 1.188       | 17          |             |                   | 1        |
| 3C       | 440C       | Round | 1.188       | 36.75       |             |                   | 1        |
| 12E      | 440C       | Round | 1.25        | 68          |             |                   | 1        |
| 2C       | 440C       | Round | 3.75        | 1           |             |                   | 1        |
| 2C       | 440C       | Round | 3.75        | 4           |             |                   | 1        |
| 2C       | 440C       | Round | 4           | 1           |             |                   | 2        |
| 2C       | 440C       | Round | 4.5         | 1.313       |             |                   | 3        |
| 2C       | 440C       | Round | 5           | 2.75        |             |                   | 1        |
| 2C       | 440C       | Round | 5           | 2.75        |             |                   | 1        |
| 2C       | 440C       | Round | 5.75        | 0.875       |             |                   | 1        |
| 2C       | 440C       | Round | 6           | 0.875       |             |                   | 1        |
| 2C       | 440C       | Round | 6           | 1           |             |                   | 1        |
| 2C       | 440C       | Round | 6           | 3.25        |             |                   | 1        |
| 2C       | 440C       | Round | 6.5         | 1.063       |             |                   | 1        |
| 2C       | 440C       | Round | 6.5         | 1.125       |             |                   | 1        |
| 2C       | 440C       | Round | 7.5         | 3           |             |                   | 1        |
| 14       | Perforated | Sheet | 0.063       | 0.125       | 48          | 61                | 1        |